

SIMPLEX ELEVATORS GOODS LIFTS



Lifting the Standard since 1976

Simplex Elevators

ISO-A Goods Lift

Dumb waiters are suitable where goods need loading and unloading at serving height. ISO-A is a dumb waiter lift that can have a stainless steel finish. This makes it easy to clean, hygienic and ideal for food preparation areas. ISO-A's size is customisable, meaning it will fit almost anywhere.

The ISO-A Dumb Waiter can lift up to 300kg and is popular with pubs, restaurants and hotels for transporting food and drink between levels. In these scenarios, dumb waiters significantly speed up service, improving customer satisfaction.

Offices, shops and industrial facilities use dumb waiters like ISO-A to move lighter loads, such as files, stock and machine components. This reduces manual handling and the associated risk of workers sustaining strain injuries, known as musculoskeletal disorders.

Dumb Waiters for Quick, Efficient Transportation

The ISO-A dumb waiter lift features call and send controls, position indicators on each landing, and arrival buzzers and call signals. It requires no pit and takes just days to install, reducing building work and allowing businesses to resume normal working conditions quickly. ISO-A is robust, reliable and cost-effective.

Dumb Waiters – A Range of Options

We tailor dumb waiters to suit individual customers. ISO-A has a choice of door styles and various entry configurations. An optional heated shelf keeps food warm in the lift and an intercom allows workers on different floors to communicate.

The ISO A Dumb Waiter is ideally suited to restaurants, pubs and offices, where it is convenient to load items at serving height. The stainless steel finish is hygienic and ideal for food handling, as is its optional heated shelf. Features: Dumb waiter lift car made of stainless steel or galvanised steel. Removable or heated shelf. Bi-parting landing doors. Approved door locks. Optional intercom and heated shelf. ISO-A can have motor below or above shaft.

Simplex Elevators complies with all Australian Standards and International Best Practices.



ISO-A GOODS LIFT

ISO

Service Lifts



Drive Unit

Steel Structure

Controls

Standard Features:

- Comply with all relevant BS and EN standards
- Maximum Capacity 1000kgs Single, double or bi-parting doors
- 24 volt controls
- Call and Send on each landing
- Arrival buzzer
- Dispatching delay device
- Position indicator on each landing.

Counter Weight

Landing Doors



Customisation Options

Exclusive Series

We are offering new exclusive stainless steel varieties for our ISO-A service lifts. Your benefit is a wide selection of colours and patterns.

Advantages

- Implementation to customer.
- Exclusive eye-catcher.
- Adaption to the surroundings.
- Many possible varieties.
- Individual productions.

If you have any questions or queries regarding our range, please do not hesitate to get in contact.

Stainless Pattern Examples





SIMPLEX

ELEVATORS



 **SIMPLEX**
ELEVATORS
Lifting the Standard Since 1976

